



SEVERE WEATHER BULLETIN #15

FOR: TYPHOON "ROLLY" (GONI)

TROPICAL CYCLONE: WARNING

ISSUED AT 11:00 AM, 01 November 2020

(Valid for broadcast until the next bulletin to be issued at 2 PM today)

"ROLLY" WEAKENS INTO A TYPHOON AND IS NOW OFF THE COAST OF PASACAO, CAMARINES SUR.

Catastrophic violent winds and intense to torrential rainfall associated with the region of the eyewall and inner rainbands of the typhoon is prevailing or expected within the next 12 hours over the western portion of Camarines Sur, Marinduque, the central and southern portions of Quezon, Laguna, the eastern portion of Batangas, and Cavite. This a particularly dangerous situation for these areas.

Track and intensity outlook:

- **"ROLLY" weakened into a Typhoon at 8:00 AM today.** The center of this typhoon will move towards Marinduque-Southern Quezon area this afternoon. Afterwards, it will pass over Batangas- Cavite area this late afternoon through evening. **Between 5:00 to 8:00 PM, the center of the eye of "ROLLY" is located around 70 km south of Metro Manila.** "ROLLY" is forecast to exit the mainland Luzon landmass and emerge over the Philippine Sea between tonight and tomorrow early morning. During its traverse of Southern Luzon, "ROLLY" is forecast to slightly weaken but will emerge as a typhoon over the West Philippine Sea.

Hazards affecting land areas:

- **Rainfall:** Today, the passage of Typhoon "ROLLY" will bring heavy to intense with at times torrential rains over Bicol Region, CALABARZON, Metro Manila, Marinduque, Romblon, Mindoro Provinces, Bataan, Bulacan, Aurora, and the eastern portions of mainland Cagayan and Isabela. Moderate to heavy rains with at times intense rains will be experienced over Cordillera Administrative Region, Eastern Visayas, and the rest of mainland Cagayan Valley and Central Luzon. Light to moderate with at times heavy rains will be experienced over Caraga, Northern Mindanao, Zamboanga Peninsula, and the rest of Luzon and Visayas. Flooding (including flash floods), rain-induced landslides, and sediment-laden streamflows (i.e. lahar) may occur during heavy or prolonged rainfall especially in areas that are highly or very highly susceptible to these hazards. PAGASA Regional Services Divisions may issue local thunderstorm/rainfall advisories and heavy rainfall warnings as appropriate.
- **Strong winds:** Very destructive to devastating typhoon-force winds will be experienced in areas under Tropical Cyclone Wind Signals (TCWS) #4, destructive typhoon-force winds in areas under TCWS #3, damaging gale- to storm-force winds in areas under TCWS #2, and strong breeze to near gale conditions in areas under TCWS #1. Potential impacts of the wind conditions to structures and vegetation under each wind signal are detailed in the TCWS section of this bulletin. Elsewhere, strong breeze to near gale conditions due to the northeasterlies will be experienced over the rest of Northern Luzon that are not under TCWS #1.
- **Storm surge:** In the next 24 hours, there is a high risk of storm surge of more than 3.0 m over the coastal areas of Catanduanes and Camarines Norte and the northern coastal areas of Quezon including Polillo Islands and Camarines Sur; up to 3.0 m over the coastal areas of Metro Manila, Cavite, Bulacan, Pampanga, Bataan, the southeastern coastal area of Batangas (facing Tayabas Bay), and most of the southern coastal areas of Quezon; up to 2.0 m over the coastal areas of Marinduque, Lubang Island, Albay, Masbate (including Ticao and Burias Islands), the western coastal area of Northern Samar, the northern coastal area of Mindoro Provinces, and the remaining coastal areas of Quezon, Camarines Sur, and Batangas. Moreover, there is also a moderate to high risk of seiche or storm surge over the coastal areas surrounding Laguna de Bay and Taal Lake. These storm surges, which may be accompanied by swells and breaking waves reaching the coast can cause life-threatening and damaging coastal inundation.

Hazards affecting coastal waters:

- Today, rough to phenomenal seas (2.5 to 16.0 m) will be experienced over the seaboard of areas where TCWS is in effect and rough to very rough seas (2.5 to 5.0 m) over the remaining seaboards of Northern Luzon and the eastern seaboards of Eastern Visayas (that are not under TCWS) and Caraga. Sea travel is risky for all types of seacrafts over these waters, especially those under TCWS.
- Moderate to rough seas (1.2 to 2.5 m) will be experienced over remaining seaboards of the country. Mariners of small seacrafts are advised to take precautionary measures when venturing out to sea. Inexperienced mariners should avoid navigating in these conditions.

Prepared by:


SMRR

Checked by:


JSG



SEVERE WEATHER BULLETIN #15

FOR: TYPHOON "ROLLY" (GONI)

TROPICAL CYCLONE: WARNING

Location of eye/center	At 10:00 AM today, the center of the eye of Typhoon "ROLLY" was located based on all available data including Daet Doppler Radar over the coastal waters of Pasacao, Camarines Sur or 30 km West Southwest of Pili, Camarines Sur (13.5°N, 123.0°E).	<p style="text-align: center;">Track of Typhoon Rolly {GONI}</p> <p style="text-align: center;">Philippine Atmospheric Geophysical and Astronomical Services Administration</p>
Strength	Maximum sustained winds of 215 km/h near the center and gustiness of up to 295 km/h .	
Movement	Moving Westward at 25 km/h .	
Forecast Positions	<ul style="list-style-type: none"> • 24 Hour (Tomorrow morning): 195 km West of Iba, Zambales (15.0°N, 118.2°E) • 48 Hour (Tuesday morning): 620 km West of Iba, Zambales (OUTSIDE PAR) (15.2°N, 114.2°E) • 72 Hour (Wednesday morning): 890 km West of Iba, Zambales (OUTSIDE PAR) (14.9°N, 111.7°E) 	

TROPICAL CYCLONE WIND SIGNAL

TCWS	Luzon	Visayas	Mindanao	Impacts of the wind
4 (171-220 km/h winds prevailing or expected in 12 hours)	Camarines Norte, Camarines Sur, Catanduanes, Albay, the northern portion of Sorsogon (Donsol, Pilar, Castilla, Sorsogon City, Prieto Diaz, Gubat, Barcelona, Juban, Casiguran, Magallanes), Burias Island, Marinduque, Metro Manila, Cavite, Laguna, Batangas, Rizal, Quezon including Polillo Islands, Pampanga, Bulacan, the southern portion of Aurora (Dingalan), Bataan, the southern portion of Zambales (San Marcelino, San Felipe, San Narciso, San Antonio, Castillejos, Subic, Olongapo City, Botolan, Cabangan), the northwestern portion of Occidental Mindoro (Mamburao, Paluan) including Lubang Island, and the northern portion of Oriental Mindoro (Puerto Galera, San Teodoro, Baco, Calapan City, Naujan, Pola, Victoria, Socorro, Pinamalayan)	-	-	<ul style="list-style-type: none"> • Very heavy damage to high-risk structures • Heavy damage to medium risk structures; • Moderate damage to low-risk structures • Considerable damage to structures of light materials (up to 75% are totally and partially destroyed); complete roof structure failures. • Many houses of medium-built materials are unroofed, some with collapsed walls; extensive damage to doors and windows • A few houses of first-class materials are partially damaged • All signs/billboards are blown down. There is almost total damage to banana plantation • Most mango trees, ipil-ipil and similar types of large trees are downed or broken. • Coconut plantation may suffer extensive damage. • Rice and corn plantation may suffer severe losses.
Areas under TCWS #5 are now lowered to TCWS #4.				

Prepared by: **SMRR**

Checked by: **JSG**



SEVERE WEATHER BULLETIN #15


FOR: TYPHOON "ROLLY" (GONI)

TROPICAL CYCLONE: WARNING

TCWS	Luzon	Visayas	Mindanao	Impacts of the wind
3 (121-170 km/h winds prevailing or expected in 18 hours)	The rest of Sorsogon, the northern portion of Masbate (Mobo, Masbate City, Milagros, Uson, Baleno, Aroroy, Mandaon) including Ticao Island, the rest of Zambales, Romblon, the rest of Occidental Mindoro, the rest of Oriental Mindoro, Tarlac, the southern portion of Nueva Ecija (Cuyapo, Talugtug, Muñoz City, Llanera, Rizal, Bongabon, Gabaldon, General Tinio, Laur, Palayan City, General Mamerto Natividad, Cabanatuan City, Santa Rosa, Peñaranda, Gapan City, San Isidro, Cabiao, San Antonio, Jaen, San Leonardo, Zaragoza, Aliaga, Talavera, Santo Domingo, Quezon, Licab, Guimba, Nampicuan), and the central portion of Aurora (San Luis, Baler, Maria Aurora)	Northern Samar	-	<ul style="list-style-type: none"> • Heavy damage to high-risk structures; • Moderate damage to medium-risk structures; • Light damage to low risk structures • Increasing damage (up to more than 50%) to old, dilapidated residential structures and houses of light materials. Majority of all nipa and cogon houses may be unroofed or destroyed • Houses of medium strength materials (old, timber or mixed timber-CHB structures, usually with G.I. roofing's); some warehouses or bodega-type structures are unroofed. • There may be widespread disruption of electrical power and communication services. • Almost all banana plants are downed. • Some big trees (acacia, mango, etc.) are broken or uprooted. • Dwarf-type or hybrid coconut trees are tilted or downed. • Rice and corn crops may suffer heavy losses. • Damage to shrubbery and trees with foliage blown off; some large trees blown down.
2 (61-120 km/h winds prevailing or expected in 24 hours)	The rest of Aurora, Nueva Vizcaya, Quirino, Benguet, La Union, Pangasinan, the rest of Nueva Ecija, and the rest of Masbate	The northern portion of Samar (Catbalogan City, Jiabong, Motiong, Paranas, Hinabangan, San Sebastian, Tarangnan, Pagsanghan, San Jorge, San Jose de Buan, Matuguinao, Gandara, Santa Margarita, Calbayog City, Santo Nino, Almagro, Tagapul-An), the northern portion of Eastern Samar (San Julian, Sulat, Taft, Can-Avid, Dolores, Maslog, Oras, San Policarpo, Arteche, Jipapad), the extreme northern portion of Antique (Pandan, Libertad, Caluya), and the northwestern portion of Aklan (Buruanga, Malay, Nabas, Ibajay)	-	<ul style="list-style-type: none"> • Light to Moderate damage to high risk structures; • Very light to light damage to medium-risk structures; • No damage to very light damage to low risk structures • Unshielded, old dilapidated schoolhouses, makeshift shanties, and other structures of light materials are partially damaged or unroofed. • A number of nipa and cogon houses may be partially or totally unroofed. • Some old galvanized iron (G.I.) roofs may be peeled or blown off. • Some wooden, old electric posts are tilted or downed. • Some damage to poorly constructed signs/billboards • In general, the winds may bring light to moderate damage to the exposed communities. Most banana plants, a few mango trees, ipil-ipil and similar types of trees are downed or broken. • Some coconut trees may be tilted with few others broken. • Rice and corn may be adversely affected. • Considerable damage to shrubbery and trees with some heavy-foliaged trees blown down.

The public and the disaster risk reduction and management council concerned are advised to take appropriate actions and watch for the next Severe Weather Bulletin to be issued at 2 PM today.

Prepared by: 
SMRR

Checked by: 
JSG



SEVERE WEATHER BULLETIN #15


FOR: TYPHOON "ROLLY" (GONI)

TROPICAL CYCLONE: WARNING

TCWS	Luzon	Visayas	Mindanao	Impacts of the wind
1 (30-60 km/h winds prevailing or expected in 36 hours)	Mainland Cagayan, Isabela, Apayao, Kalinga, Mountain Province, Ifugao, Abra, Ilocos Norte, Ilocos Sur, and the northern portion of Palawan (El Nido, Taytay, Dumarán, Araceli) including Calamian and Cuyo Islands	The rest of the northern portion of Antique (Sebaste, Culasi, Tibiao, Barbaza, Laua-An), the rest of Aklan, Capiz, the northern portion of Iloilo (Lemery, Sara, Concepcion, San Dionisio, Batad, Estancia, Balasan, Carles), the northern portion of Cebu (San Remigio, Bogo City, Medellin, Daanbantayan) including Bantayan Islands, Biliran, the rest of Samar, the rest of Eastern Samar, and the northern portion of Leyte (San Isidro, Tabango, Villaba, Matag- Ob, Palompon, Ormoc City, Pastrana, Palo, Calubian, Leyte, Kananga, Capoocan, Carigara, Jaro, Tunga, Barugo, Alangalang, Santa Fe, Tacloban City, Babatngon, San Miguel)	-	<ul style="list-style-type: none"> • Very light or no damage to low risk structures, • Light damage to medium to high risk structures • Slight damage to some houses of very light materials or makeshift structures in exposed communities. Some banana plants are tilted, a few downed and leaves are generally damaged • Twigs of small trees may be broken. • Rice crops, however, may suffer significant damage when it is in its flowering stage.

The public and the disaster risk reduction and management council concerned are advised to take appropriate actions and watch for the next Severe Weather Bulletin to be issued at 2 PM today.

Prepared by: 
SMRR

Checked by: 
JSG